

## FFWD TYRO SPECSHEET

### TUBELESS READY

Disc Brake Compatible	<b>Yes</b>
Rim Brake Compatible	<b>No</b>
Innertube compatible	<b>Yes</b>
Tubeless Compatible	<b>Yes</b>
Tubular Compatible	<b>No</b>
Hub Type	<b>FFWD Ratchet Hub Disc</b>
Campa Option	<b>Yes</b>
Shimano Option	<b>Yes</b>
XDR Option	<b>Yes</b>
Microspline Option	<b>No</b>
Axle Dimensions***	<b>Front 12x100 / Rear 12x142</b>
Disc Rotor Interface	<b>Centerlock</b>
Bearing Type	<b>Cartridge; Steel</b>
Bearing Usage	<b>Front: 2x 6902-2RS Rear DS: 1x 17287-2RS Rear NDS: 1x 15267-2RS Freehub: 2x 15267-2RS</b>


### GRAVEL COMPATIBLE

Rimtype	<b>Full Carbon Clincher</b>
ETRTO	<b>19 - 622</b>
Rim Depth	<b>45mm</b>
Rim Internal Width	<b>19mm</b>
Rim External Width	<b>27mm</b>
Min. Valve Length	<b>60mm</b>
Min. Tyre Size	<b>23mm</b>
Max. Tyre Size	<b>40mm</b>
Max. Tyre Pressure*	<b>8,3Bar / 120PSI</b>
Max. Rider Weight	<b>120kg / 265lbs</b>
Weight**	<b>Front: 795gram Rear: 900gram Set: 1695gram</b>
Aeroshape	<b>Yes, DARC™</b>
Rimtape	<b>Tubeless tape; 25mm</b>

### VALUE FOR MONEY

Spoke type	<b>Front NDS: DT Competition Front DS: DT Competition Rear NDS: DT Competition Rear DS: DT Competition</b>
Spoke style	<b>Straightpull</b>
Nipple type	<b>DT Pro Lock Brass 15mm</b>
Spoke Count	<b>Front 24 / Rear 24</b>
Spoke length (front)	<b>NDS: 272mm DS: 274mm</b>
Spoke length (rear)	<b>NDS: 276mm DS: 274mm</b>
Spoke Tension	<b>Front NDS: 1100N Rear DS: 1100N</b>
Spoke Pattern	<b>Front NDS: 2 Cross Front DS: 2 Cross  Rear NDS: 2 Cross Rear DS: 2 Cross</b>
Color Options	<b>MBL/GRY</b>

### DARC PROFILE



#### What's in the box:

- Wheelset
- Pre-installed tubeless tape
- Pair of alloy tubeless valves
- Tubeless installation instructions
- High quality padded wheelbag

\* Max. tires pressure is based on structural integrity the rim. Always keep in mind the max. pressure of the tire.

\*\* Weights may differ +/- 5% (due to handbuilding process of rims)

\*\*\* Interchangeable endcaps available for most common axle standards (5x100, 5x135 etc.)